


Wheel Grease Seal Kits for Cessna Aircraft

Finally a low cost alternative! FAA-PMA approved for Cessna aircraft with Cleveland and McCauley wheels
Convenient Kits now available


- Each kit contains everything required to service one wheel:
grease seal rings, plates, snap rings and felts; even screws
and washers when required
- We have done the research so you don't have to!
- Hard to find parts in stock
- Save \$\$\$



**Approval for Mooney and
Beechcraft coming soon!**



Bearing Cups		
P/N	OD	Width
07196-20629	1.9687	0.3750
07204-20629	2.0470	0.5000
08231-20629	2.3125	0.4219
13830-20629	2.5000	0.3750
13836-20629	2.5625	0.3750
18337-20629	3.3750	0.5000
19268-20629	2.6250	0.4688
39412-20629	4.1250	0.6250
A4138-20629	1.3775	0.3437
L217813-20629	5.0000	0.7500
LL217810-20629	4.7812	0.4375
LM29710-20629	2.5625	0.5500
LM67010-20629	2.3280	0.4650
LM501310-20629	73.431	0.5800



Grease Seal Rings and Plates					
P/N	ID	OD	Thickness	Fig	
MC153-00300	1-33/64	2-1/2	0.034	A	
MC153-00400	1-45/64	2-5/8	1/32	A	
MC153-00500	1-3/4	2-3/4	5/32	B	
MC153-00800	1-53/64	2-23/64	1/32	A	
MC153-01000	2-1/16	2-3/4	1/8	B	
MC153-01500	2-1/16	2-5/8	13/64	C	
MC153-30013	1-11/16	2-39/64	1/32	A	
MC153-30014	2-1/16	2-5/8	11/64	C	
MC153-30015	1-17/32	2-35/64	1/32	A	
MC156-00100	1-3/4	3-22/32	1/8	D	

Grease Seal Felt			
P/N	ID	OD	Thickness
MC154-01400	1-3/4	2-5/8	1/8
MC154-00300	1-5/8	2-5/8	1/8
MC154-00600	1-3/4	2-13/32	1/8
MC154-00900	2-1/8	2-7/16	1/8
MC154-01300	2-1/8	2-1/2	3/16
MC154-30010	2-1/8	2-17/32	1/8

Snap Ring			
P/N	ID	OD	Thickness
MC155-00100	9/64	2-3/4	1/32
MC155-00200	9/64	2-1/2	0.025
MC155-11800	5/32	2-1/2	1/32
MC155-11900	5/32	2-3/4	1/32

Bearing Cones		
P/N	Bore	Inner Ring Width
07100-20629	1.0000	0.5614
08125-20629	1.2500	0.5937
13889-20629	1.5000	0.4688
18200-20629	2.0000	0.7190
19150-20629	1.5000	0.6504
39250-20629	2.5000	0.8661
A4050-20629	0.5000	0.4326
L217849-20629	3.5000	0.5938
LM29749-20629	1.5000	0.7200
LM67048-20629	1.2500	0.6600
LM501349-20629	41.275	0.7800

1 OD measurement **does not** include mounting tabs

Dimensions are approx. and for identification only. Dimensions are in inches.

Wheel Bearing Cups and Cones

FAA-PMA approved Timken wheel bearings for Goodyear, Cleveland, and McCauley wheels.

- Class 2 aviation grade bearings (Timken designates these with a -20629 suffix)
- When landing, the wheel bearings must go from Zero RPM to 1384 RPM, or more, instantaneously. Automotive bearings aren't designed for this type of service
- Tighter tolerance and higher quality control than Class 4 automotive bearings
- Save \$\$\$

Don't be tempted to buy cheap automotive bearings!

Since Timken uses the same part number for both automotive and aviation versions of these bearings, many people mistakenly use lower quality automotive bearings in their airplane. It is critical that FAA-PMA Class 2 version be used for aircraft applications for two reasons:

1. They are a higher class bearing with tighter tolerance and have been subjected to more stringent quality control procedures. Due to the smaller diameter of aircraft wheels, at a given ground speed the bearings rotate at a much higher RPM and require the tighter tolerances to prevent premature failure. Example: At a 70 mph touchdown speed (equivalent to highway speed of a car), a typical 17-inch diameter airplane tire is rotating at 1384 RPM, whereas a typical 27 inch car tire is only rotating at 871 RPM. So even though the aircraft bearing is only subject to intermittent use, some of the performance demands are much higher than a typical automotive application.
2. It is a violation of FAA regulations to use non-approved automotive bearings on certified aircraft.



See the table on the next page to find the correct bearing for your wheels

Wheel to Seal Kit and Bearing Cross Reference for Cessna Aircraft

Wheel Mfr	Mfr. P/N	Cessna Wheel P/N	Kit P/N	Bearing Cone P/N	Bearing Cup P/N
CLEVELAND	040-07502	C163001-0301	WH-KT-2	13889	13836
CLEVELAND	40-101	C163001-0601	WH-KT-22	LM29749-20629	LM29710
CLEVELAND	40-101A		WH-KT-22	LM29749-20629	LM29710
CLEVELAND	40-113	C163001-0104	WH-KT-2	13889	13836
CLEVELAND	40-12	0441179-2	WH-KT-15	08125	08231
CLEVELAND	40-135A	9910393-2, 9910393-6	WH-KT-28	LM29749-20629 & 07100 ¹	LM29710 & 07204 ¹
CLEVELAND	40-138A		WH-KT-17	LM29749-20629 & 07100 ¹	LM29710 & 07204 ¹
CLEVELAND	40-140A	9910194-8	WH-KT-39	13889	13836
CLEVELAND	40-142	C163001-0701	WH-KT-2	13889	13836
CLEVELAND	40-177A	C163001-0901	WH-KT-42	13889	13836
CLEVELAND	40-179	040-17900	WH-KT-42	LM29749-20629	LM29710
CLEVELAND	40-18	0441179-14	WH-KT-34	08125	08231
CLEVELAND	40-19	0441156-13	WH-KT-15	08125	08231
CLEVELAND	40-20	0441156-14	WH-KT-34	08125	08231
CLEVELAND	40-21	0441156-15	WH-KT-11	13889	13836
CLEVELAND	40-32	0741026-3	WH-KT-8	13889	13836
CLEVELAND	40-35	0743001-4	WH-KT-34	08125	08231
CLEVELAND	40-40A	5041016-3	WH-KT-28	LM29749-20629 & 07100 ¹	LM29710 & 07196 ¹
CLEVELAND	40-40D	5041016-5	WH-KT-28	LM29749-20629 & 07100 ¹	LM29710 & 07204 ¹
CLEVELAND	40-55	0441156-16	WH-KT-38	13889	13836
CLEVELAND	40-57	0441156-17	WH-KT-8	13889	13836
CLEVELAND	40-57A		WH-KT-11		
CLEVELAND	40-66	0441156-18	WH-KT-8	13889	13836
CLEVELAND	40-67	0441156-19	WH-KT-11	13889	13836
CLEVELAND	40-68	0441156-20	WH-KT-34	08125	08231
CLEVELAND	40-73	1241156-11	WH-KT-39		
CLEVELAND	40-75	1241156-10	WH-KT-2	13889	13836
CLEVELAND	40-75B	040-07502, 1241156-10, C163001-0301	WH-KT-2	13889	13836
CLEVELAND	40-75D	C163001-0302	WH-KT-2	13889	13836
CLEVELAND	40-75T	040-07518-1	WH-KT-2	13889	13836
CLEVELAND	40-76	1241156-11	WH-KT-39	13889	13836
CLEVELAND	40-76A	1241156-11, 1241156-43	WH-KT-39	13889	13836
CLEVELAND	40-76B	0441156-16	WH-KT-42	13889	13836
CLEVELAND	40-77	1241156-12, 0441156-14, 0441156-20, 0441179-14, 0743001-4	WH-KT-34	08125	08231
CLEVELAND	40-78	1241156-13	WH-KT-34	08125	08231
CLEVELAND	40-79	1241156-14	WH-KT-2	13889	13836
CLEVELAND	40-79A	1241156-14	WH-KT-2	13889	13836
CLEVELAND	40-96E	C163001-0401	WH-KT-2	13889	13836
CLEVELAND	40-97	C163001-0102	WH-KT-2	13889	13836
CLEVELAND	40-97A	C163001-0102, C163001-0103	WH-KT-2	13889	13836
CLEVELAND	40-98A	C163001-0501	WH-KT-2	13889	13836
CLEVELAND	40-98H	C163001-0801	WH-KT-2	13889	13836
CLEVELAND	40-127, 40-137, 40-174			18200	18337
CLEVELAND	40-211, 40-279, 40-279A			39250	39412
GOODYEAR	9532522	0541183-9		13889	13830
GOODYEAR	9532673	0541160-13		13889	13830
GOODYEAR	511960S	0441016-1		13889	13830
GOODYEAR	95-3472	0441016-1		13889	13830
MCCAULEY	C30480	C163003-0401	WH-KT-35	LM67048	LM67010
MCCAULEY	D30065	C163002-0101		LM29749-20629	LM29710
MCCAULEY	D30256	C163003-0101		LM29749-20629	LM29710
MCCAULEY	D30291-1	C163004-0101	WH-KT-5	LM29749-20629	LM29710
MCCAULEY	D30291-2	C163004-0102	WH-KT-5	LM29749-20629	LM29710
MCCAULEY	D30291-3	C163004-0103	WH-KT-5	LM29749-20629	LM29710
MCCAULEY	D30291-6	C163004-0104	WH-KT-5	LM29749-20629	LM29710
MCCAULEY	D30500	C163002-0201, C163003-0201, C163005-0201	WH-KT-35	LM67048	LM67010
MCCAULEY	D30580	C163003-0102	WH-KT-5	LM29749-20629	LM29710
MCCAULEY	D30660-1	C163002-0101, C163003-0101, C163005-0101, C163006-0101	WH-KT-5	LM29749-20629	LM29710
MCCAULEY	D30660-2	C163006-0102	WH-KT-5	LM29749-20629	LM29710
MCCAULEY	D30660-3	C163006-0103	WH-KT-5	LM29749-20629	LM29710
MCCAULEY	D30665	9910194-1, C163002-0301, C163003-0301, C163003-0302, C163006-0201	WH-KT-47	LM29749-20629	LM29710
		95-3472		13889	13830
		3244		A4050	A4138

Note:

 For FAA-PMA approved aircraft model eligibility, see www.mcfarlaneaviation.com
¹ Cone P/N LM29749-20629 and Cup P/N LM29710 are used on the outboard of the wheel and Cone P/N 07100 and Cup P/N 07196 or P/N 07204 are used on the inboard of the wheel.

Wheel Grease Seal Kit Components

For Cessna and Piper aircraft

Eligibility on the following pages

McFarlane Wheel Seal Kit Components			
Kit P/N	Qty	Part Number	Description
WH-KT-1	1	MC154-00200	Felt, Grease Seal
	1	MC154-02800	Felt, Grease Seal
	4	MC153-00200	Ring Grease Seal, Flat
	2	MC155-00200	Ring, Snap
WH-KT-2	1	MC154-00300	Felt, Grease Seal
	1	MC154-01300	Felt, Grease Seal
	1	MC153-00300	Ring Grease Seal, Flat
	2	MC153-00400	Ring Grease Seal, Flat
	1	MC153-001500	Ring Grease Seal, Cupped
WH-KT-5	2	MC155-00100	Ring, Snap
	1	MC154-00300	Felt, Grease Seal
	1	MC154-30010	Felt, Grease Seal
	2	MC153-30013	Ring Grease Seal, Flat
	1	MC153-30014	Ring Grease Seal, Cupped
WH-KT-7	1	MC153-30015	Ring Grease Seal, Flat
	2	MC155-11900	Ring, Snap
	1	MC154-00300	Felt, Grease Seal
	2	MC153-00400	Ring Grease Seal, Flat
WH-KT-8	2	MC155-00100	Ring, Snap
	1	MC155-00300	Ring, Snap
	1	MC154-00400	Felt, Grease Seal
	1	MC153-00500	Plate, Grease Seal
WH-KT-9	1	MC156-00100	Plate, Grease Seal
	6	MS35265-45	Screw, Drilled
	6	MS35333-38	Lock Washer
	1	MC154-00400	Felt, Grease Seal
WH-KT-11	1	MC154-00500	Felt, Grease Seal
	4	MC153-00500	Ring Grease Seal, Bolted
	6	MS35265-45	Screw, Drilled
	6	MS35333-38	Lock Washer
	1	MC154-00400	Felt, Grease Seal
	1	MC154-00900	Felt, Grease Seal
	1	MC153-00300	Ring Grease Seal, Flat
	1	MC153-00500	Plate, Grease Seal
WH-KT-12	1	MC153-01000	Plate, Grease Seal
	1	MC156-00100	Plate, Grease Seal
	6	MS35265-45	Screw, Drilled
	6	MS35333-38	Lock Washer
WH-KT-15	1	MC154-00400	Felt, Grease Seal
	2	MC153-00500	Ring Grease Seal, Bolted
	6	MS35265-45	Screw, Drilled
	6	MS35333-38	Lock Washer
WH-KT-17	1	MC154-00600	Felt, Grease Seal
	2	MC153-00800	Ring Grease Seal, Flat
	2	MC155-00200	Ring, Snap
WH-KT-20	1	MC154-00800	Felt, Grease Seal
	2	MC153-00900	Ring Grease Seal, Flat
	1	MC155-00100	Ring, Snap
WH-KT-21	1	MC155-00600	Ring, Snap
	1	MC154-01300	Felt, Grease Seal
	1	MC154-01400	Felt, Grease Seal
	1	MC153-00300	Ring Grease Seal, Flat
	2	MC153-00900	Ring Grease Seal, Flat
WH-KT-22	1	MC153-01500	Ring Grease Seal, Drawn Cup
	2	MC155-00100	Ring, Snap
	1	MC154-01300	Felt, Grease Seal
	1	MC154-01600	Felt, Grease Seal
	1	MC153-00300	Ring Grease Seal, Flat
WH-KT-24	1	MC153-01500	Ring Grease Seal, Drawn Cup
	2	MC153-01600	Ring Grease Seal, Flat
	2	MC155-00100	Ring, Snap
	1	MC154-01600	Felt, Grease Seal
WH-KT-26	2	MC153-01600	Ring Grease Seal, Flat
	2	MC155-00100	Ring, Snap
	1	MC154-02600	Felt, Grease Seal
WH-KT-28	2	MC153-01900	Ring Grease Seal, Flat
	2	MC155-04400	Ring, Snap
	1	MC154-03000	Molded Seal
WH-KT-32	1	MC155-00100	Ring, Snap
	1	MC155-00600	Ring, Snap
	2	MC154-00300	Felt, Grease Seal
	4	MC153-00400	Ring Grease Seal, Flat
WH-KT-33	2	MC155-00100	Ring, Snap
	2	MC154-00400	Felt, Grease Seal
	4	MC153-00500	Ring Grease Seal, Bolted
	6	MS35265-45	Screw, Drilled
WH-KT-34	6	MS35333-38	Lock Washer
	2	MC154-00600	Felt, Grease Seal
	4	MC153-00800	Ring Grease Seal, Flat
WH-KT-35	2	MC155-00200	Ring, Snap
	2	MC154-00600	Felt, Grease Seal
	4	MC153-00800	Ring Grease Seal, Flat
WH-KT-38	2	MC155-11800	Ring, Snap
	2	MC154-00900	Felt, Grease Seal
	2	MC153-00300	Grease Seal Plate
	2	MC153-01000	Plate, Grease Seal
	6	MS35265-45	Screw, Drilled
	6	MS35333-38	Lock Washer
WH-KT-39	2	MC154-01300	Felt, Grease Seal
	2	MC153-00300	Ring Grease Seal, Flat
	2	MC153-01500	Ring Grease Seal, Cupped
WH-KT-42	2	MC155-00100	Ring, Snap
	2	MC154-03000	Molded Seal
WH-KT-47	2	MC155-00100	Ring, Snap
	2	MC154-30010	Felt, Grease Seal
	2	MC153-30014	Ring Grease Seal, Cupped
WH-KT-49	2	MC153-30015	Ring Grease Seal, Flat
	2	MC155-11900	Ring, Snap
WH-KT-52	1	MC154-03400	Molded Seal
	2	MC155-04400	Ring, Snap
WH-KT-52	2	MC154-01400	Felt, Grease Seal
	4	MC153-00900	Ring Grease Seal, Flat
WH-KT-52	2	MC155-00100	Ring, Snap

**Coming Soon! FAA-PMA
 Beechcraft & Mooney Grease
 Seal Felts, Retainer Plates,
 and Retainers!**

*Please check our website for
 progress on these items.*

Continued on the next column

FAA-PMA Approved! Wheel Seals and Kits for Piper Aircraft

Finally a low cost alternative! Convenient Kits now available:

- Each kit contains everything required to service one wheel: grease seal rings, plates, snap rings and felts; even screws and washers when required
- We have done the research so you don't have to!
- Hard to find parts in stock
- Save \$\$\$



Model	S/N	Equipped w/Wheel	Location	Kit P/N
AE-1, HE-1, J3 (Converted TG-8 Glider) J-3, J3C-40, J3C-50, J3C-50S, J3C-65 (Army L-4,L-4A,B,H,J, Navy NE-1,2), J3C-65S, J3F-50, J3F-50S, J3F-60, J3F-60S, J3F-65 (Army L-4D), J3F-65S, J3L, J3L-65 (Army L-4C), J3L-65S, J3L-S, J3P	All	40-60	Main	WH-KT-1
		40-84	Main	WH-KT-2
		40-84B	Main	WH-KT-21
J4, J4A, J4A-S, J4B, J4E (Army L-4E), J4F, J5A (Army L-4F), J5A-80, J5B (Army L-4G), J5C	All	40-60	Main	WH-KT-1
PA-11, PA-11S	All	40-60	Main	WH-KT-1
		40-84	Main	WH-KT-2
		40-84B	Main	WH-KT-21
PA-12, PA-12S, PA-14, PA-15, PA-16, PA-16S, PA-17	All	40-60	Main	WH-KT-1
PA-18, PA-18 "105" (Special), PA-18 "125" (Army L-21A), PA-18 "150", PA-18A, PA-18A "135", PA-18A "150"	All	40-60 ¹	Main	WH-KT-1
		40-84	Main	WH-KT-2
		40-84B	Main	WH-KT-21
PA-20, PA-20 "115", PA-20 "135"	All	40-60	Main	WH-KT-1
		40-84	Main	WH-KT-2
		40-84B	Main	WH-KT-21
PA-22, PA-22-108, PA-22-135, PA-22-150, PA-22-160	All	38501 (40-8)	Aux	WH-KT-9
		40-76B	Aux	WH-KT-42
		3040 (40-6), 40-28	Main	WH-KT-12
		40-84	Main	WH-KT-2
PA-23, PA-23-160, PA-23-235, PA-E23-250	All	40-84B	Main	WH-KT-21
		38501 (40-8)	Aux	WH-KT-9
		40-76B	Aux	WH-KT-42
		3080A (40-3), 3080B (40-4), 3080D (40-116) 40-131	Main	WH-KT-7
PA-24, PA-24-250, PA-24-260, PA-24-400	All	38501 (40-8)	Aux	WH-KT-9
		40-76B	Aux	WH-KT-42
		3070 (40-5), 40-58	Main	WH-KT-33
		40-84, 40-90	Main	WH-KT-2
PA-25, PA-25-235, PA-25-260	All	40-84B	Main	WH-KT-21
		3070 (40-5)	Main	WH-KT-33
		40-61	Main	WH-KT-12
		40-84A	Main	WH-KT-32
PA-28-140, PA-28-150, PA-28-160, PA-28-180	28-20002 and on	38501 (40-8)	Aux	WH-KT-9
		40-76B, 40-76F	Aux	WH-KT-42
		D-30625	Aux	WH-KT-47
		40-28	Main	WH-KT-12
		40-86, 40-86B	Main	WH-KT-32
PA-28-151, PA-28-161 ³ , PA-28-181, PA-28-201T	All	40-86F	Main	WH-KT-42
		40-56, 40-56B, 40-76F ²	Aux	WH-KT-42
		40-77, 40-77B	Aux	WH-KT-34
		D-30500	Aux	WH-KT-35
		D-30625, D-30665	Aux	WH-KT-47
		40-86B	Main	WH-KT-32
PA-28-235	28-10003 and on	40-86F	Main	WH-KT-42
		38501 (40-8)	Aux	WH-KT-9
		D-30625	Aux	WH-KT-47
		40-76B, 40-76F	Aux	WH-KT-42
		40-58	Main	WH-KT-33
		40-86, 40-86B	Main	WH-KT-32
		40-86F	Main	WH-KT-42

Note:

- ¹ Wheel 40-60 eligible for SN 18-3781 thru 8309025
- ² Eligible for PA-28-181 all serials
- ³ Eligible for S/Ns 2816001 thru 2816119, 2841001 thru 2841365 and 2842001 thru 2842999
- ⁴ 40-140 Wheel, Kit WH-KT-42 contains a molded seal
- ⁵ 40-140 Wheel, Kit WH-KT-52 contains a felt seal

Eligibility continued on next page

FAA-PMA Approved! Wheel Seals and Kits for Piper Aircraft continued from previous page



Model	Serial Range	Equipped w/Wheel	Location	Kit P/N
PA-28-236	2811001 thru 2811050, 28-7911001 thru 28-8611008	40-56	Aux	WH-KT-42
		D-30665	Aux	WH-KT-47
		40-86B	Main	WH-KT-32
		40-86F	Main	WH-KT-42
PA-28R-180, PA-28R-200, PA-28R-201, PA-28R-201T, PA-28RT-201, PA-28RT-201T	All	40-90A	Main	WH-KT-2
		40-77, 40-77A, 40-77B	Aux	WH-KT-34
		D-30500	Aux	WH-KT-35
		40-84	Main	WH-KT-2
		40-84B	Main	WH-KT-21
PA-30	All	40-86, 40-86B	Main	WH-KT-32
		40-86F	Main	WH-KT-42
		38501 (40-8)	Aux	WH-KT-9
		40-76B	Aux	WH-KT-42
PA-31, PA-31-300, PA-31-325, PA-31-350 (T1020), PA-31-350, PA-31P, PA-31P-350, PA-31T, PA-31T1, PA-31T2, PA-31T3 (T1040)	All	40-34	Main	WH-KT-32
		40-90	Main	WH-KT-2
		40-76B	Aux	WH-KT-42
		40-140	Aux	WH-KT-42 ⁴ WH-KT-52 ⁵
		40-102, 40-102A	Main	WH-KT-21
PA-32-260, PA-32-300, PA-34-200, PA-34-200T, PA-34-220T	All	40-130, 40-162	Main	WH-KT-24
		40-141, 40-106, 40-106A, 40-167, 40-167A	Main	WH-KT-26
		38501 (40-8)	Aux	WH-KT-9
		40-56, 40-56B, 40-76B, 40-76F	Aux	WH-KT-42
PA-36-285, PA-36-300, PA-36-375	All	D-30665, D-30625	Aux	WH-KT-47
PA-38-112	All	40-90, 40-90A, 40-120	Main	WH-KT-2
		40-101	Main	WH-KT-22
		40-56	Aux	WH-KT-42
		40-59D	Main	WH-KT-42
		40-78B	Main	WH-KT-34
PA-39	All 39-1 thru 39-148	40-77, 40-77B, 40-77C	Aux	WH-KT-34
		D-30500	Aux	WH-KT-35
PA-42, PA-42-1000	All	40-90	Main	WH-KT-2
		38501 (40-8)	Aux	WH-KT-9
		40-140	Aux	WH-KT-42 ⁴ WH-KT-52 ⁵
PA-42-720, PA-42-720R	All	40-166	Main	WH-KT-26
		40-176	Main	WH-KT-49
PA-44-180, PA-44-180T	All	40-140	Aux	WH-KT-42 ⁴ WH-KT-52 ⁵
		40-166	Main	WH-KT-26
		40-77, 40-77B	Aux	WH-KT-34
PA-46-310P, PA-46-350P (w/ G1000), (w/o G1000)	All	D-30500	Aux	WH-KT-35
		40-90A, 40-120, 40-120C	Main	WH-KT-2
		40-77, 40-77B	Aux	WH-KT-34
PA-46-500TP (w/ G1000), (w/o G1000)	All	D-30500	Aux	WH-KT-35
		40-120C	Main	WH-KT-2
PA-46R-350T, PA-46R-350T (w/ G1000), (w/o G1000)	All	40-77G	Aux	WH-KT-34
		40-142	Main	WH-KT-2
PA-60-600 (or Ted Smith Aerostar 600), PA-60-601 (or Ted Smith Aerostar 601), PA-60-601P (or Ted Smith Aerostar 601P), PA-60-602P (or Ted Smith Aerostar 602P)	All	40-77, 40-77B	Aux	WH-KT-34
		D-30500	Aux	WH-KT-35
		40-120C	Main	WH-KT-2
	All	40-76B, 40-76F	Aux	WH-KT-42
		40-124	Main	WH-KT-20

Note:

- 1 Wheel 40-60 eligible for SN 18-3781 thru 8309025
- 2 Eligible for PA-28-181 all serials
- 3 Eligible for S/Ns 2816001 thru 2816119, 2841001 thru 2841365 and 2842001 thru 2842999
- 4 40-140 Wheel, Kit WH-KT-42 contains a molded seal
- 5 40-140 Wheel, Kit WH-KT-52 contains a felt seal